ut

214

BOX PATENT APPLICATION

Commissioner for Patents

Re:

J. Frank Osha T 1-(202)-663-7915 fosha@sughrue.com

May 16, 2001




2100 Pennsylvania Avenue, NW Washington, DC 20037-3213 T202.293.7060 F202.293.7860

1010 El Camino Real Menio Park, CA 94025-4345 T 650.325.5800 F 650.325.6606

Toei Nishi Shimbashi Bidg. 4F 13-5 Nishi Shimbashi 1-Chome Minato-Ku, Tokyo 105-0003 Japan

> T03.3503.3760 F03.3503.3756

www.sughrue.com



Application of Keisuke HATANO, Yasutaka NAKASHIBA

SOLID-STATE IMAGE PICKUP DEVICE AND METHOD FOR FABRICATING THE



Dear Sir:


Attached hereto is the application identified above including 33 sheets of the specification, including the claims and abstract, 11 sheets of formal drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney.

The Government filing fee is calculated as follows:

Total claims	43 - 20	=	23 x	\$18.00	= \$414.00
Independent claims	2 - 3	=	x	\$80.00	= \$.00
Base Fee					\$710.00
TOTAL FILING FEE					\$1124.00
Recordation of Assignment					\$40.00
TOTAL FEE					\$1164.00

Checks for the statutory filing fee of \$1124.00 and Assignment recordation fee of \$40.00 are attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from May 16, 2000 based on Japanese Application No. 2000-143730. The priority document is enclosed herewith.



Respectfully submitted, SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC Attorneys for Applicant

By: Arrank Osha

Registration No. 24,625